


# specific for anxiety & tension Librium

The singular specificity of Librium in controlling anxiety and tension has proven to be an advantage in a wide range of disorders characterized by anxiety of varying degrees. Notably effective in patients whose symptoms are primarily emotional, Librium is equally valuable when organic disease is aggravated or prolonged by accompanying anxiety. Coupled with its effectiveness is an outstanding record of safety. Librium has few, if any, of the unwanted side effects associated with tranquilizers and daytime sedatives—no extrapyramidal effects, no autonomic blocking, and no dulling of mental alertness. Consult literature and dosage information, available on request, before prescribing.

the successor to the tranquilizers

LIBRIUM® Hydrochloride — 7-chloro-2-methylamino-5-phenyl-3H-1,4-benzodiazepine 4-oxide hydrochloride





**announcing:  
a shorter route  
to long-term  
antihypertensive  
therapy**

Now...notably efficacious and markedly safe antihypertensive agents are combined in convenient dosage form—the right combination for essential hypertension, a disease that demands multiple facets of therapy.

**One Prescription with Multiple Avenues of Attack: Vasorelaxation... Sodium Elimination... Calmative Action.** By utilizing three separate antihypertensive agents, each with a different avenue of attack, Diutensen products provide dependable control of blood pressure at individual dosage below the side effect level of any component. Thus, the confusion of multiple prescriptions is avoided, and the total medication is provided to the patient at greatly reduced cost than if the ingredients were prescribed singly.

**The Result:** Maximum control of blood pressure... minimum risk of side effects. A first choice for long-term management of the ambulatory patient.

**Trial Supplies Available Now.** Please address your request to: Special Services Dept., Irwin, Neisler & Co., Box 1110, Decatur, Ill.

# DIUTENSEN<sup>®</sup>

## PRODUCTS

**DIUTENSEN<sup>®</sup>** Each tablet contains Unitensen<sup>®</sup> (Cryptenamine, as tannate salts), 2.0 mg.; Methyclothiazide, 2.5 mg.

**DIUTENSEN-<sup>®</sup>R** Each tablet contains Unitensen<sup>®</sup> (Cryptenamine, as tannate salts), 1.0 mg.; Methyclothiazide, 2.5 mg.; Reserpine, 0.1 mg.

**Indications:** Diutensen and Diutensen-R may be employed in all grades of essential hypertension. **Dosage:** For both Diutensen and Diutensen-R, usual dose is 1 tablet twice daily, after breakfast and at midafternoon. However, adjustment of dosage to suit individual circumstances may be required. Please refer to package inserts for full particulars.

IRWIN, NEISLER & CO. 76<sup>TH</sup> YEAR DECATUR, ILLINOIS


## ***Carry it...***

Even a petite nurse can easily pick up and carry a Sanborn Visette® electrocardiograph wherever it's needed — in the office, on house calls, in the clinic or laboratory. Not much bigger than a doctor's bag, the Visette weighs only 18 pounds — with all accessories.


And as portable as it is, a Visette nevertheless equals any "office standard" ECG in recording quality and accuracy. Every record is sharp, clean, permanent and — as you expect from Sanborn Company — diagnostically accurate. Compactness and ruggedness for travel are achieved by the practical means of modern miniaturized circuitry, not by sacrificing accuracy.

If you prefer the greater versatility of two chart speeds, three recording sensitivities and provision for recording and monitoring other phenomena, the Model 100 Viso-Cardiette is a logical choice. And when these capabilities are needed in a mobile instrument, the mobile cabinet version (Model 100M) is designed to be easily rolled to bedsides in hospital or clinic.

Regardless of which of these three instruments you choose, each has a valuable and unique feature: Sanborn service. It lasts long after the sale . . . from people who know your ECG and value your satisfaction.



***wherever  
you need  
"on-the-spot"  
cardiography***



***SANBORN COMPANY***  
**MEDICAL DIVISION**    *Waltham 54, Mass.*

**NEW YORK Branch Office** 1841 Broadway, Circle 7-5794 and 7-5795

---

The Bulletin of The New York Academy of Medicine, Vol. 38, No. 12, December, 1962. Published Monthly by The New York Academy of Medicine, 2 East 103 Street, New York 29, N. Y. Entered as second-class matter February 3, 1928, at the Post Office at New York, N. Y., under the act of August 24, 1912. Postage paid at New York, N. Y. Annual subscription United States and Canada \$8.00. All other countries \$9.00. Single copies 90c.



## Relieves Anxiety and Anxious Depression

The outstanding effectiveness and record of safety with which Miltown relieves anxiety and anxious depression — the type of depression in which either tension or nervousness or insomnia is a prominent symptom — has been clinically authenticated time and again during the past seven years. This, undoubtedly, is one reason why physicians still prescribe meprobamate more often than any other tranquilizer in the world.

# Miltown®

meprobamate (Wallace)

**Usual dosage:** One or two 400 mg. tablets t.i.d.  
**Supplied:** 400 mg. scored tablets, 200 mg. sugar-coated tablets; bottles of 50. Also as MEPROTABS®—400 mg. unmarked, coated tablets; and in sustained-release capsules as MEPROSPAN®-400 and MEPROSPAN®-200 (containing respectively 400 mg. and 200 mg. meprobamate).



WALLACE LABORATORIES / Cranbury, N. J.

Clinically proven  
in over 750  
published studies

- 1 Acts dependably — without causing ataxia or altering sexual function
- 2 Does not produce Parkinson-like symptoms or liver damage
- 3 Does not muddle the mind or impair physical activity

# NEW...made from 100% corn oil

## **UNSALTED** MARGARINE

### FOR HYPERTENSIVE PATIENTS

- \* contains only 10 mgs. of sodium per 100 grams
- \* contains 50% liquid corn oil and 50% partially hydrogenated corn oil
- \* has 30% linoleic acid—10 times that of butter

Because of the relationship of high-sodium intake to elevated blood pressure, new Fleischmann's Unsalted (Sweet) Corn Oil Margarine will prove to be a valuable addition to the dietary regimen of your hypertensive patients. It contains only 10 mgs. of sodium per 100 grams.

Fleischmann's Unsalted (Sweet) Margarine is made from 100% corn oil and contains both liquid corn oil and partially hydrogenated corn oil. Its linoleic acid content of 30% is three times higher than the 10% of regular margarines and ten times higher than the 3% of butter. This is the *only* unsalted margarine made from 100% corn oil.

The substitution of Fleischmann's Unsalted (Sweet) Corn Oil Margarine for butter or ordinary margarines in your hypertensive patients' dietary regimen has the added advantage of increasing their intake of high polyunsaturates . . . and this is most important because of the association of polyunsaturates with hypertension and atherosclerosis.

If your hypertensive patient needs sodium restriction, recommend Fleischmann's Unsalted (Sweet) Margarine. It has a light, delicate taste that he'll like. Tell him that it is available in his grocer's frozen food case. *Distribution presently limited in some areas.*

In line with the suggestion of the American Heart Association to manufacturers, we are listing the fatty acid composition of Fleischmann's Unsalted (Sweet) Margarine:

#### Unsaturated Fatty Acids:

Polyunsaturates . . . . . 30%  
Monounsaturates . . . . . 50%

Saturated Fatty Acids . . . . . 20%  
100%



## **Fleischmann's**

Fresh-Frozen in the green foil package  
in your grocer's frozen food case

#### AVERAGE DAILY INTAKE

Two Ounces or Eight Pats of Fleischmann's  
Corn Oil Margarine Will Supply

Corn Oil—Liquid . . . . .	22.7 Gm.
Corn Oil—Partially Hydrogenated . . . . .	22.7 Gm.
Iodine Value . . . . .	90-95
Sodium (dietetically sodium-free) . . . . .	6 Mgs.
Linoleic Acid . . . . .	13.6 Gm.
Vitamin A (Adult's Need) . . . . .	47%
Vitamin A (Child's Need) . . . . .	62%
Vitamin D (Adult's and Child's Need) . . . . .	62%

**ONLY UNSALTED MARGARINE  
MADE FROM 100% CORN OIL**




to meet the basic need in coronary artery disease  
with or without angina


## Peritrate increases myocardial blood flow and oxygen supply

Peritrate restores myocardial blood flow to the normal or near-normal range.  
A single oral dose produces a measurable response within 60 to 90 minutes.

Peritrate can produce marked improvement in the exercise ECG\*



**Before Peritrate:** S-T segment depressed after standard exercise in postcoronary patient without angina.



**After Peritrate:** (90 minutes after Peritrate 20 mg.) S-T segment normal following exercise test.

**Exceptionally safe—**  
Peritrate may be used routinely in postcoronary patients.

no significant change  
in blood pressure

no significant change  
in cardiac output

no significant change  
in pulse rate

**WARNER-CHILCOT\***

\*Case history and ECGs on file in the Medical Department of Warner-Chilcott Laboratories, available with or without phenobarbital—in regular or Sustained-Action tablets for q.i.d. or b.i.d. therapy. Full dosage information, available on request, should be consulted before initiating therapy.

basic therapy in coronary artery disease—  
with or without angina

# Peritrate®

brand of pentaerythritol tetranitrate

Warner-Chilcott, Morris Plains, N. J. Makers of Coly-Mycin Papase Tedral Prolod Mandelamin






Make Orinase your "first choice" antidiabetes agent in newly-discovered, adult nonketotic diabetics in whom oral therapy is indicated. For the great majority of such patients, Orinase means optimal control.

"Its toxicity is low, hypoglycemic reactions are minimal, and its beta-cytotropic action makes it sound physiologically." More than 750,000 diabetics are now controlled on Orinase.





Clear the air


with **ALEVAIRE**

Inhalation therapy

**WETS, THINS, LOOSENS PULMONARY SECRETIONS**

*Very useful in*

... BRONCHITIS  
BRONCHIAL ASTHMA  
BRONCHIECTASIS  
PERTUSSIS  
CROUP



Alevaire is administered by means of a nebulizer operated with an air compressor or oxygen.


**Supplied** in bottles of 60 cc. for intermittent and 500 cc. for continuous nebulization.

*Winthrop*

LABORATORIES  
NEW YORK 18, N. Y.

Alevaire, trademark reg. U.S. Pat. Off.

**FOR**  
**CAPILLARY**  
**AND**  
**VENOUS**  
**BLEEDING**



# **KOAGAMIN<sup>®</sup>**

**parenteral hemostat**

*an aqueous solution of  
oxalic and malonic acids*


**RAPID**  
**EFFECTIVE**  
**CONTROL**

with  
an outstanding  
**SAFETY**  
record  
...not a single  
reported adverse  
effect  
in over  
twenty years of continuous  
dependable service

**SUPPLIED IN 10cc MULTIPLE-DOSE VIALS**  
**COMPLETE INFORMATION AVAILABLE ON REQUEST**



**CHATHAM PHARMACEUTICALS, INC. • NEWARK 2, NEW JERSEY**  
DISTRIBUTED IN CANADA BY AUSTIN LABORATORIES • PARIS, CANADA



**for your next  
tense, anxious  
patient...  
whether his anxiety  
be mild, moderate  
or severe**

# **Mellaril<sup>®</sup>**

Thioridazine

## **the full-range tranquilizer**

**relieves the anxiety and tension states of everyday life** Most of the tension states seen in office practice are caused by environmental factors, such as domestic difficulties, financial problems, illness, working conditions, etc. For these "garden variety" anxieties, more physicians are prescribing MELLARIL since it calms the patient and allows him to function normally at home.

**unlike "liberating" or "meprobamate-type" tranquilizers** MELLARIL is a "full-range" tranquilizer. Its area of usefulness extends from minor nervous and functional disorders to severe psychotic disturbances.

**unlike other phenothiazine tranquilizers** ■ Jaundice has not been observed ■ Parkinsonism is rare ■ excessive sedation and lethargy are less frequent than with other phenothiazines ■ "...we believe that the claim can justly be made that Mellaril has fewer side effects than any other of the phenothiazine compounds."<sup>1</sup>

The efficacy and safety of Mellaril have been established in over 150 published reports during a period of 4½ years.

**SUPPLIED:** Tablets: 10 mg., 25 mg., 50 mg., 100 mg. and 200 mg. Brand of thioridazine, as hydrochloride. Consult literature and dosage information, available on request, before prescribing.

1. Sandison, R. A., Whitelaw, E., and Currie, J. D. C.: Journal of Mental Science 106:732, April 1960.



ORIGINAL RESEARCH SERVING THE PHYSICIAN

**SANDOZ**

# CAMBRIDGE "Versa-Scribe" ELECTROCARDIOGRAPH



CAMBRIDGE  
VERSA-SCRIBE  
Electrocardiograph  
Model VSM (mobile).

## WITH SPECIALLY DESIGNED CARRIAGE FOR MOBILE USE


The "Versa-Scribe" fits snugly into a container which is an integral part of the all-metal carriage . . . no wobbling, nor danger of instrument falling off.

Quiet, widely spaced casters provide an unusually stable stand. Permits easy movement in tight spaces . . . ample storage compartment for accessories.

The "Versa-Scribe" can be easily and quickly removed and inserted into conventional carrying case for use as a portable instrument.

The new "Versa-Scribe" Direct Writer provides dual paper speed, especially valuable in measuring time intervals.

*Now more than ever is the Cambridge "Versa-Scribe" the Electrocardiograph of choice.*



VERSA-SCRIBE Electrocardiograph Model VS (portable).

CAMBRIDGE ALSO MAKES "Trans-Scribe", "Versa-Scribe" and "Simpli-Scribe" Electrocardiographs; also, the External Defibrillator, Audio-Visual Heart Sound Recorder, Dye Dilution Curve Recorder, Operating Room Cardioscope, Multi-Channel Recorders, Central Monitor Systems, Research pH Meters and the Huxley Ultra Microtome.

Send for descriptive literature  
**CAMBRIDGE INSTRUMENT CO., Inc.**  
Graybar Building, 420 Lexington Ave., New York 17, N. Y.

Cleveland 2, Ohio, 8419 Lake Avenue  
Detroit 37, Mich., 13730 W. Eight Mile Rd.  
Oak Park, Ill., 6605 West North Ave.  
Jenkintown, Pa., 479 Old York Road  
Silver Spring, Md., 933 Gist Avenue

PIONEER MANUFACTURERS OF THE ELECTROCARDIOGRAPH

**CAMBRIDGE**  
DIAGNOSTIC INSTRUMENTS

Now available for  
streptococcus infections:  
V-Cillin K, Pediatric,  
in the 10-Day (150-cc.)  
Treatment Package

the  
longest  
"needle"  
in the  
world

It never stings—needs no sterilizing. It reaches all the way from your office to the patient's home to give him potent penicillin therapy as often and as long as he needs it. It's an *oral* "needle," of course . . . V-Cillin K® . . . the penicillin that makes oral therapy as effective as intramuscular, but safer—and much more pleasant.

Sometimes your judgment dictates parenteral penicillin for your office patients. But to extend that therapy, take advantage of the longest "needle" in the world . . . V-Cillin K.

Tablets V-Cillin K, 125 or 250 mg. (scored).

V-Cillin K, Pediatric, 125 mg. per 5 cc., in 40 and 80-cc.-size packages.

V-Cillin K® (potassium phenoxymethyl penicillin, Lilly) (penicillin V potassium)



This is a reminder advertisement. For adequate information for use, please consult manufacturer's literature. Eli Lilly and Company, Indianapolis 6, Indiana. 233282



# BENDINER & SCHLESINGER

## *Laboratory*


JOHN TENNYSON MYERS, M.D., Ph.D., *Director*

**SERVING THE PHYSICIAN FOR  
OVER HALF A CENTURY IN THE  
CLINICAL LABORATORY FIELD.**

**Third Avenue and Tenth Street • New York City 3, N. Y.**

**Messenger Service—ALgonquin 4-2300**

*Also mailing facilities*



**Pharmacy**  
For the  
profession only

**Macy's  
Medical  
Supply  
Service**

Our new Medical Service Department supplies generic items for physicians, hospitals, nursing homes and institutions. All products are labeled in compliance with regulations of the Federal Food and Drug Administration. All official drugs conform to the requirements of the U. S. P. or N. F. All Macy's-Own Brand products have been approved by Macy's-Own Bureau of Standards. There is no charge for delivery.

- Ampules and Vials
- Bacterial Vaccines
- Injectable Vitamins
- Hormones
- Pollen Extracts
- Tablets and Capsules
- Syringes
- Needles
- Surgical Dressing

What better time to use your Macy Shopping Account . . . pay within 10 days of receipt of your monthly statement, or if you'd rather take several months to pay, there's a small service charge.

**Macy's Medical Supply Service, Dept. 727**

Write for medical supplies and drug list

### **7 MACY'S RETAIL PRESCRIPTION DEPARTMENTS**

serve your thrifty patients with speed and precision.  
Over 2½ million Rx's already filled.

New York, Herald Square      Flatbush, 1101 Flatbush Ave.  
Jamaica, 89-22 165th St.      Roosevelt Field, Garden City  
White Plains, 220 Main St.      Parkchester, 1441 Metropolitan Ave.  
Huntington, L. I., Route 110, So. Huntington Station



*In Psychovisceral Disorders...*



*...Autonomic Stability*

## PRO-BANTHINE® with DARTAL®

brand of propantheline bromide with thiopropazate dihydrochloride

The combination of PRO-BANTHINE with DARTAL provides an autonomic stabilizer of notable efficacy in common psychovisceral disorders.

DARTAL, a particularly well tolerated tranquilizer, allays the central nervous influence in such conditions as peptic ulcer, gastritis, pylorospasm, spastic constipation and mucous or ulcerative colitis. PRO-BANTHINE suppresses the emergence of hypersecretion and hypermotility in the stomach and intestines.

By alleviating excessive activity at both ends of the vagus, PRO-BANTHINE with DARTAL assures prompt, definite, sustained

control not only of severe and persistent gastrointestinal dysfunctions but also of stress-aggravated episodes of more moderate conditions.

-----  
**USUAL ADULT DOSAGE:** One tablet three times a day.

**SUPPLIED:** Aqua-colored, compression-coated tablets containing 15 mg. of PRO-BANTHINE and 5 mg. of DARTAL.

**G. D. SEARLE & CO.**  
CHICAGO 80, ILLINOIS

*Research in the Service of Medicine*

**...WITH 'METHEDRINE' SHE CAN HAPPILY REFUSE!**



**Controls food craving, keeps the reducer happy** — In obesity, "our drug of choice has been methedrine . . . because it produces the same central effect with about one-half the dose required with plain amphetamine, because the effect is more prolonged, and because undesirable peripheral effects are significantly minimized or entirely absent." Douglas, H. S.: West.J.Surg. 59:238 (May) 1951.

# **'METHEDRINE'®**

brand Methamphetamine Hydrochloride


Supplied: Tablets 5 mg., scored. Bottles of 100 and 1000.



Literature available on request.

**BURROUGHS WELLCOME & CO. (U.S.A.) INC., Tuckahoe, New York**





when the perfect combination is defeated by a cough...

# Benylin® Expectorant

**provides the right combination for effective cough control**

BENYLIN EXPECTORANT effectively suppresses coughs due to colds or allergy through its combination of carefully selected antitussive components.

Benadryl®, a potent antihistaminic-antispasmodic, calms the cough reflex, relieves bronchial spasm, and reduces allergic symptoms. Efficient expectorants break down tenacious mucous secretions, relieving respiratory congestion. And the pleasant-tasting, raspberry-flavored syrup provides soothing demulcent action.

BENYLIN EXPECTORANT contains in each fluidounce: Benadryl® Hydrochloride (diphenhydramine hydrochloride, Parke-Davis), 80 mg.; Ammonium chloride, 12 gr.; Sodium citrate, 5 gr.; Chloroform, 2 gr.; Menthol, 1/10 gr.; Alcohol, 5%.


Supplied: BENYLIN EXPECTORANT is available in 16-ounce and 1-gallon bottles.

This advertisement is not intended to provide complete information for use. Please refer to the package label, medical brochure, or write for detailed information on indications, dosage, and precautions.

**PARKE-DAVIS**


9-1062

PARKE, DAVIS & COMPANY, Detroit 22, Michigan



Thanks to 135 tiny "doses" throughout the

night, the arthritic wakes up comfortable



Morning stiffness may be reduced or even eliminated as a result of therapy with the only steroid in long-acting form. And the slow, steady release of steroid makes it possible in some cases to reduce the frequency of administration and/or the total daily steroid dosage.

# Medrol\* Medules\*

Each hard-filled capsule contains Medrol (methylprednisolone) 4 mg. Also available in 2 mg. soft elastic capsules.

Supplied in bottles of 30 and 100.

Reminder advertisement.  
Please see package insert for  
detailed product information.

**Upjohn**

The Upjohn Company, Kalamazoo, Michigan

your patient becomes



**Tractable**

*with*  
**Trancopal<sup>®</sup>**  
*(brand of chlormezanone)*

**effective tranquilizer and skeletal muscle relaxant**

**THE TRUE "TRANQUILAXANT"  
FOR A RELAXED MIND IN A RELAXED BODY**

- **quiets the anxiety of the tense patient**
- **eases tense muscles, relaxes the patient**
- **reported side effects are rare and usually mild.**

**AVAILABLE:** 200 mg. Caplets\* (green colored, scored), 100 mg. Caplets (peach colored, scored), each in bottles of 100.

**DOSAGE:** Adults, 1 Caplet (200 mg.) three or four times daily; children (5 to 12 years), from 50 to 100 mg. three or four times daily.

Before prescribing, consult Winthrop's literature for additional information about dosage, possible side effects and contraindications.

**Winthrop** LABORATORIES, New York 18, N. Y.

**It's there when you need it.** These six words sum up the rationale for including an *antimycotic* in your antibiotic prescription. Particularly when that antimycotic is Fungizone (amphotericin B)... Here you have a highly potent agent which acts in the g.i. tract when given by mouth. Potent, yet virtually nontoxic in the amounts provided by Mysteclin-F<sup>1,2</sup>. You can thus avail yourself of an important safeguard which extends the usefulness of tetracycline: Mysteclin-F prevents monilial overgrowth while utilizing the full force of tetracycline against a wide range of pathogens. Once you've decided in favor of broad-spectrum therapy, therefore, **Mysteclin-F is good practice.**

1. Lehan, P. H., Yates, J. L., Brasher, C. A., Larsh, H. W., and Furcolow, M. L.: *Diseases of Chest* 32:597, 1957.
2. Newcomer, V. D., Sternberg, T. H., Wright, E. T., and Reisner, R. M.: *J. Chronic Diseases* 9:353, 1959.

Mysteclin-F contains Squibb Phosphate-Potentiated Tetracycline (Sumycin), plus Amphotericin B (Fungizone). Available as: Mysteclin-F Capsules (250 mg./50 mg.); Mysteclin-F Half Strength Capsules (125 mg./25 mg.); NEW Mysteclin-F Syrup (125 mg./25 mg. per 5 cc.); Mysteclin-F for Syrup (125 mg./25 mg. per 5 cc.); Mysteclin-F for Aqueous Drops (100 mg./20 mg. per cc.). For full information, see your Squibb Product Reference or Product Brief.


*Squibb Quality—  
the Priceless Ingredient*

**SQUIBB**

SQUIBB CORPORATION **Olth**



\*Mysteclin'®, \*Sumycin'®, and \*Fungizone'® are Squibb trademarks



## the challenge of urethral instrumentation:

*"lower urinary tract instrumentation carries with it the risk of infection."*<sup>1</sup>

To meet the challenge, "... the use of *nonantibiotics*, such as ... Furadantin, to prevent urinary infection after such instrumentation as catheterization, cystoscopy and the passage of sounds, appears to be rational. Administration...beginning immediately after instrumentation and continuing for five to seven days should provide a poor culture medium for organisms that might have been carried inadvertently from the urethra into the bladder by a catheter or an instrument."<sup>2</sup>

In one recent study, *Pyrexia Following Cystoscopy*, "fifty-six patients received prophylactic antimicrobial agents and only 16 had fever. Forty-one patients did not receive any medication before cystoscopy, and 30 of these experienced fever after cystoscopy. ... Nitrofurantoin [Furadantin] was employed more frequently than any other chemotherapeutic agent in the study. Ninety-three per cent of the organisms cultured from the urine prior to cystoscopy were sensitive to this agent when it was administered. In 21 per cent of patients who received nitrofurantoin prophylactically fever developed after cystoscopy, compared to 35 per cent of patients who received other agents, and 73 per cent of patients who did not receive any antimicrobial agents."<sup>1</sup>

References: 1. Milberg, M. B., and Hermann, H. B.: *J. Urol.* 86:823, 1961. 2. Emmett, J. L.: *Rocky Mountain Med. J.* 58:31, 1961.

Further information in package insert, from your Eaton Representative, or on request to the Medical Director. For round-the-clock medical consultation on Eaton products, phone Norwich, N. Y., Area Code 607-334-9911.

EATON LABORATORIES  
Division of The Norwich Pharmacal Company  
NORWICH, NEW YORK



to meet the challenge  
to treat the patient

# FURADANTIN<sup>®</sup>

brand of nitrofurantoin